



Release guide

LuciadFusion 2025.0

24 June 2025



Contents

About this release	3
Benefits of the new features	4
Publish NITF data (for viewing in the browser)	4
A collection of improvements based on user feedback	4
Serving NITF data as geo-referenced or non-georeferenced data set	4
Sample code/documentation to get you started	5
Improvements to the configuration of OGC Web Services	5
OGC WMS	5
OGC WFS	6
OGC 3D Tiles	6
Improvements to the LuciadFusion platform	7
More flexible security configuration	7
Faster querying by custom metadata properties	7
Updated platform requirements	7
Other improvements	7
About Hexagon	9



About this release

The 2025.0 release of LuciadFusion supports serving NITF data as a nongeoreferenced intelligence report. User feedback was used as input for a number of usability improvements to the OGC WMS and WFS services. Finally, the support for BIM and CAD data was improved as well.

This document lists the most noteworthy improvements. You can find the full list of changes in the <u>release notes</u>.




Figure: The Luciad portfolio



Benefits of the new features

Publish NITF data (for viewing in the browser)

Decoding NITF data is a long-standing feature of our products LuciadLightspeed and LuciadFusion. This release of LuciadFusion brings a set of important upgrades to the NITF support.

A collection of improvements based on user feedback

We acted on collected feedback and improved the handling of images and vector overlays, while respecting the paint order of the different elements. These improvements also led to the introduction of a new third-party library, libjpeg-turbo, to decode JPEG images and the removal of a class and some methods from the API because they were never intended for direct use and caused some confusion.

Serving NITF data as geo-referenced or non-georeferenced data set

Recently, we noticed an emerging need for the display of intelligence information in the browser. This release of LuciadFusion, as well as the new release of our browser-based product LuciadRIA, allows us to satisfy this use case.

The NITF decoder now supports the use of NITF information in a non-georeferenced view. This capability enables you to retrieve the data in pixel coordinates. With this aim, <code>TLcdNITFModelDecoder.discoverDataSources</code> now offers two data sources.

You can use the first data source to decode the NITF data into a georeferenced model, similar to the data source returned in the past. The resulting model can be used to visualize the data in a georeferenced view. The benefit of this approach is that it shows the data in context, combined with other data you may have of the same area.

You can use the second data source to decode the NITF data into a non-georeferenced model. To allow for fine-grained inspection of all annotations, this non-georeferenced model is an <code>ILcdModeLTreeNode</code> with a sub-model for each NITF data segment. You can then publish these non-georeferenced data items with a pixel coordinate model reference (CRS:1) as an OGC WMS service in LuciadFusion.

LuciadFusion now supports this second scenario end-to-end. As illustrated in When crawling an NITF data set, LuciadFusion creates two data sources, as illustrated in LuciadFusion Studio, crawled NITF data ends up in LuciadFusion as two data sources:

- A georeferenced data source with the native geographic reference of the data
- A non-georeferenced data source with a cartesian reference (pixel coordinate model)

Afterward, you can flexibly decide how to publish NITF data: as a georeferenced WM(T)S layer, as a cartesian CRS:1 WMS layer, or as both.






Figure: When crawling an NITF data set, LuciadFusion creates two data sources, as illustrated in LuciadFusion Studio

Furthermore, a new LuciadFusion configuration flag wms. LayerPerProduct in the fusion.common.yml configuration file provides additional flexibility for publishing WMS layers. By default, it is enabled, meaning that a LuciadFusion product with one or more data items is mapped to a single WMS layer. This is the same behavior as in past releases. If you disable it, LuciadFusion creates a WMS layer for each model available in the product. If the model is a model tree, the WMS layer gets created for each sub-model.

The NITF non-georeferenced data source with cartesian CRS:1 reference mentioned above is a model tree, with a model per segment. Therefore, if you disable the wms.LayerPerProduct setting, the resulting service offers a WMS layer per NITF segment. This mapping allows clients to switch individual NITF segments on and off while inspecting the data.

Sample code/documentation to get you started

We refer to the existing NITF documentation for more information on how to integrate this format: <u>Data Formats: NITF/NSIF</u>. For details about the new third-party library and slight API modifications, see the <u>release notes</u>.

To help you set up a non-georeferenced WMS, the article <u>How to set up a non-georeferenced WMS</u> was added to the documentation.

Improvements to the configuration of OGC Web Services

We implemented some usability improvements to the OGC services. This section lists them per service type in no particular order.

OGC WMS

 A new configuration property allows users to refine the mapping of LuciadFusion products and the data items within these products to WMS layers. By default, each product in a WMS service is mapped to a single WMS layer. An example use case for a more refined mapping is the publication of



each NITF segment in a product as a WMS layer, as discussed in <u>Serving</u> NITF data as geo-referenced or non-georeferenced data set.

• The constructor of TLcdWMSGeoJsonGetFeatureInfoEncoder now accepts a parameter that indicates whether to use the name of a property or its display name as the key for the feature information properties.

OGC WFS

- You can now configure the WFS feature type title and names used by your WFS services. We introduced new REST API endpoints and UI in the LuciadFusion Studio web app that allow you to define user-friendly feature type names. The article <u>How to configure the WFS feature types</u> offers more detail.
- The WFS server's capability to output features as GeoJSON has been made more robust: an unsupported geometry type is now automatically transformed to a geometry type supported in GeoJSON, such as points, lines, polygons and collections of them. This improves the access to CAD data such as DGN and DWG files through a WFS server, for example.

OGC 3D Tiles

LuciadFusion can now also generate OGC 3D Tiles 1.1 services for datasets with a 'Mesh' data category, such as BIM, OBJ and GLB datasets. This capability is offered both via the REST API and via the LuciadFusion Studio web app UI. Also, OGC 3D Tiles 1.0 and 1.1 mesh datasets can now be re-processed to change the version or compression type.




Figure: LuciadFusion Studio now presents the choice between 3D Tiles service versions 1.0 and 1.1



Improvements to the LuciadFusion platform

More flexible security configuration

You can configure access to service endpoints in several ways. This release adds the possibility to dynamically configure whether authenticated access is required on a service-by-service basis, using the service detail panel in the LuciadFusion Studio web application or the <code>PUT /api/services/{serviceId}</code> endpoint. We refer to the updated article How to configure access to services in LuciadFusion for more details.

Faster querying by custom metadata properties

The storage of custom metadata properties has been optimized. For very large amounts of metadata records, this results in a significant improvement in query speed.

Updated platform requirements

In alignment with the end of support for Windows 8.1 and Windows Server 2012 by Microsoft, and the end of support for macOS 12 by Apple, we are updating our platform support. LuciadFusion is now supported for development and deployment on:

- Windows, starting from Windows 10 and Windows Server 2016
- macOS, starting from macOS 13

Other improvements

DWG improvements

DWG files served using LuciadFusion now support multi-line text. This means that you can use the <code>TEXT</code> and <code>MTEXT</code> entities in your DWG files to display text that spans multiple lines. In addition, we added support for extra <code>MTEXT</code> directives.

BIM data types alignment

Metadata handling has been unified across all BIM formats. This means that BIM, IFC, and Navisworks models now expose metadata the same way, using <code>metadata</code> and <code>metadataGroup</code> properties. This alignment makes it easier to work with BIM data in LuciadFusion, because you can use the same approach for all formats.

Guidance with converting data in the Filmbox (FBX) file format

The Filmbox (FBX) file format is a proprietary 3D file format developed by Autodesk. This release of LuciadFusion features an article that shows how you can convert an FBX file to OGC 3D Tiles. The article is titled Handling FBX data.

Linux ARM 64-bit support for selected data formats

LuciadFusion now supports a Linux ARM 64-bit architecture for a selected list of data formats using native dependencies. Data can now be crawled, decoded, and



published by a LuciadFusion instance running on a Linux ARM 64-bit machine. We refer to the <u>release notes</u> for an overview of the supported formats.

3D Tiles Processing Engine performance improvement

The 3D Tiles Processing Engine that processes 3D meshes into 3D Tiles has been optimized, resulting in less memory usage and faster processing.

24 June 2025



About Hexagon

Hexagon is the global leader in digital reality solutions, combining sensor, software and autonomous technologies. We are putting data to work to boost efficiency, productivity, quality and safety across industrial, manufacturing, infrastructure, public sector and mobility applications.

Our technologies are shaping production and people-related ecosystems to become increasingly connected and autonomous — ensuring a scalable, sustainable future.

Hexagon's Safety, Infrastructure & Geospatial division improves the resilience and sustainability of the world's critical services and infrastructure. Our solutions turn complex data about people, places and assets into meaningful information and capabilities for better, faster decision-making in public safety, utilities, defense, transportation and government.

Hexagon (Nasdaq Stockholm: HEXA B) has approximately 24,500 employees in 50 countries and net sales of approximately 5.4bn EUR. Learn more at hexagon.com and follow us @HexagonAB.

Copyright

© 2024 Hexagon AB and/or its subsidiaries and affiliates. All rights reserved

Warning: The product made the subject of this documentation, including the computer program, icons, graphical symbols, file formats, audio-visual displays and documentation (including this documentation) (collectively, the "Subject Product") may be used only as permitted under the applicable software license agreement, and subject to all limitations and terms applicable to use of the Subject Product therein. The Subject Product contains confidential and proprietary information of Intergraph Corporation, a member of the Hexagon Group of companies ("Hexagon"), its affiliates, and/or third parties. As such, the Subject Product is protected by patent, trademark, copyright and/or trade secret law and may not be transferred, assigned, provided, or otherwise made available to any third party in violation of applicable terms and conditions cited further below.

Terms of use

By installing, copying, downloading, accessing, viewing or otherwise using the Subject Product, you agree to be bound by the terms of the EULA found here: https://legaldocs.hexagon.com/sig/Licenses/EULA SA SIG-Eng 062021.pdf

Disclaimers

Hexagon and its suppliers believe the information in this publication is accurate as of its publication date. Hexagon is not responsible for any error that may appear in this document. The information and the software discussed in this document are subject to change without notice.



Language translation disclaimer: The official version of the documentation is in English. Any translation of this document into a language other than English is not an official version and has been provided for convenience only. Some portions of a translation may have been created using machine translation. Any translation is provided "as is." Any discrepancies or differences occurring in a translation versus the official English version are not binding and have no legal effect for compliance or enforcement purposes. Hexagon disclaims any and all warranties, whether express or implied, as to the accuracy of any translation.

Reasonable efforts have been made to provide an accurate translation; however, no translation, whether automated or provided by human translators is perfect. If any questions arise related to the accuracy of the information contained in a translated version of documentation, please refer to its official English version. Additionally, some text, graphics, PDF documents and other accompanying material may not have been translated.

Links to third-party websites

This document may provide links to third-party websites for your convenience and information. Third-party websites will be governed by their own terms and conditions. Hexagon does not endorse companies or products to which it links.

Third-party websites are owned and operated by independent parties over which Hexagon has no control. Hexagon shall not have any liability resulting from your use of the third-party website. Any link you make to or from the third-party website will be at your own risk and any information you share with the third-party website will be subject to the terms of the third-party website, including those relating to confidentiality, data privacy and security.

Hexagon provides access to Hexagon international data and, therefore, may contain references or cross references to Hexagon products, programs and services that are not announced in your country. These references do not imply that Hexagon intends to announce such products, programs or services in your country.

Revisions

Hexagon reserves the right to revise these terms at any time. You are responsible for regularly reviewing these terms. Your continued use of this document after the effective date of such changes constitutes your acceptance of and agreement to such changes.

Questions

Contact us with any questions regarding these terms.