



LuciadFusion 2026.0

Release Guide

Contents

About this release	3
Benefits of the new features	4
Support for ENC in S-101	4
Decoding and visualizing S-101 data	4
Serving S-101 data as an OGC WMS/WMTS service	4
Sample code/documentation to get you started	5
APP-6E cyber units support.....	5
Sample code/documentation to get you started	6
Improvements to the support for OGC services	6
Configure which tile matrix sets are exposed for a WMTS service	6
Use the hybrid return type "jpgpng" in OGC WMS and WMTS services.....	6
Publish collections of products via OGC WCS.....	6
Other improvements.....	7
Sample code/documentation to get you started	7
Improvements to the LuciadFusion platform.....	8
Support for custom properties of type polygon and multipolygon	8
Data compression	8
Improved OpenAPI specification of the LuciadFusion REST API	8
Other improvements	8

About this release

The 2026.0 release of LuciadFusion brings support for the long-awaited S-101 format for Electronic Navigational Charts (ENC). Additionally, this release includes several enhancements to LuciadFusion's web services that provide convenient new capabilities and better performance for connecting applications. This document lists the most noteworthy improvements. You can find the full list of changes in the release notes.




Figure 1: The Luciad portfolio

Benefits of the new features

Support for ENC in S-101

An Electronic Chart Display and Information System (ECDIS) is a computer-based navigation system which is used to visualize digital nautical data, as an alternative to paper nautical charts. Nautical data includes all information which may be of assistance for the safe navigation of vessels at sea and harbors, such as sea depth information, positions of buoys, lights, or wrecks. The data to be rendered is either vector or raster data. Data for vector-based ECDIS systems are called Electronic Navigational Charts (ENC). In early 2025, the new format for ENC, [S-101](#), was officially [adopted](#). This LuciadFusion release follows suit with support for the S-101 format, in addition to the existing support for S-57.

S-101 introduces several important changes that improve usability and interoperability, and future-proof ENC. Examples of such changes are GML encoding and the use of portrayal catalogs. S-101 also allows symbols and display rules to evolve independently from the data itself, and focuses on the interoperability between distinct maritime data sources, to bring them together on one map more easily.

This new capability is offered as part of the Maritime Standards product option.




Figure 2: LuciadFusion Studio data overview including an S-101 data catalog

Decoding and visualizing S-101 data

LuciadFusion now offers you the capability to decode S-101 data, in the form of either a data catalog or an individual data cell. The use of catalogs is recommended, because it allows the cells to be loaded lazily, based on the current extents and zoom level of the map.

Serving S-101 data as an OGC WMS/WMTS service

Like S-57 and S-63 data, S-101 data can be disseminated via WMS and WMTS services as well. The LuciadFusion WMS server specifically supports the use of SLD styles in WMS requests. A WMS client can use this capability to customize the styling of data published in a WMS layer. By default, an SLD style contains generic styling settings for vector and raster data. LuciadFusion extends this SLD styling capability by also supporting SLD styles with display settings for ECDIS data:

- S-52 display settings configure the styling of ECDIS S-57 data.
- S-101 display settings configure the styling of ECDIS S-101 data.

Because of that support, WMS clients can customize the styling of ECDIS S-57 or S-101 data published in a WMS layer.

Sample code/documentation to get you started

These articles explain how to decode S-101 data and how to configure the display settings:

- [Visualize S101 data on a GXY map](#)
- [How to customize the S-101 visualization](#)

We also updated the article that explains what was already possible in terms of custom SLD styling for S-57 and S-63. [Using client-defined SLD styles with an ECDIS-enabled LuciadFusion WMS server](#) now also covers the interactive use of S-101 data through WMS.

APP-6E cyber units support

This release of LuciadFusion offers partial support for the APP-6E standard (Version 1). In future releases, we will complete this support.

For this release, the focus is on the cyberspace icons:

- 60: Cyberspace
- 61: Cyberspace - Space
- 62: Cyberspace - Air
- 63: Cyberspace - Land Unit
- 64: Cyberspace - Land Equipment
- 65: Cyberspace - Land Installation
- 66: Cyberspace - Dismounted Individual
- 67: Cyberspace - Sea Surface
- 68: Cyberspace - Sea Subsurface

This support also includes the handling of areas of uncertainty, a new graphic modifier in APP-6E.




Figure 3: Area of uncertainty as a circle and as an ellipse

Sample code/documentation to get you started

The new support for APP-6E is seamlessly integrated into the existing military symbology capability. We refer to the article [What are the supported standards?](#) for an overview.

The new area of uncertainty indication is further explained in the article [How to visualize the area of uncertainty indicator.](#)

Improvements to the support for OGC services

Configure which tile matrix sets are exposed for a WMTS service

OGC WMTS services deliver data in a tiled and multi-leveled way. Knowing how these tiles are organized in a matrix, and what levels are available, greatly helps clients to efficiently request and display map data at various zoom levels. For each level, the organization of the tiles is defined as a tile matrix, and the collection of tile matrices for all available levels of details is called a tile matrix set.

You can now configure the list of available tile matrix sets that your LuciadFusion WMTS services offer, as well as the specific tile matrix sets exposed for certain data products.

The WMTS specification defines a list of well-known and common tile matrix sets. These are available by default. An example of a well-known tile matrix set is "GoogleMapsCompatible", for example. It's compatible with implementations such as Google Maps, Microsoft Bing Maps and Open Street Map tiles.

Use the hybrid return type "jpgpng" in OGC WMS and WMTS services

Typically, service users can choose either JPEG or PNG as the return type for WMS or WMTS results. The JPEG format provides fast, lossy compression, resulting in a small payload and quick loading times. It's ideal for imagery or maps without transparency, such as aerial photographs or satellite imagery. However, JPEG doesn't support transparency, and the lossy compression may reduce image quality slightly.

The PNG format supports lossless compression, ensuring high-quality images without sacrificing data integrity. It supports transparency, making it suitable for overlay maps or maps that require transparent backgrounds. PNG is typically used for maps with vector data, text, or overlays, but its file size is larger compared to JPEG, which can impact performance.

With this new option "jpgpng", the LuciadFusion service automatically chooses either JPEG or PNG based on the content of the requested map or tile. If it detects transparency, the service outputs the map or tile in PNG format to preserve the transparency. If it doesn't detect transparency, it defaults to JPEG, taking advantage of its smaller file size and faster loading times. This dynamic behavior allows users to optimize both transparency and performance without manually choosing a format.

Publish collections of products via OGC WCS

The LuciadFusion WCS service now supports the publication of products that consist of multiple data items. A use case is the publication of multiple tiled raster data items into a single WCS coverage. The publication in a WCS service does require that the product's data items all have the same band semantics and geographic reference.

Other improvements

More output formats for WCS services

The LuciadFusion WCS server now supports image/jp2 (JPEG 2000), image/jpeg and image/png as output formats next to GeoTIFF.

Add your own output formats to WCS services

You can now extend the output formats supported by a LuciadFusion WCS service by plugging in your own ILcdWCSModelEncoderFactory. Using this interface, the LuciadFusion WCS creates an ILcdModelEncoder that can encode the result of a GetCoverage request to a format requested by the WCS client.

Sample code/documentation to get you started

We added several new articles illustrating the use of the new capabilities:

- [How to configure the WMTS tile matrix sets](#)
- [How to add your own image output format](#)
- [Which image output formats do WMS and WMTS services support?](#)
- [What data can you add to a WCS service?](#)

Improvements to the LuciadFusion platform

Support for custom properties of type polygon and multipolygon

LuciadFusion supports ISO metadata, but also allows you to define custom metadata properties and even use those properties for querying your catalog. See [Extending LuciadFusion with custom properties](#) and [Using custom properties with Data](#) for more information.

The supported EWKT geometry types for custom properties have been extended to support both POLYGON and MULTIPOLYGON, with the limitation that they can't contain any holes. This allows you, for instance, to augment the data bounds with geometries representing the precise data footprint.

Data compression

The LuciadFusion server now supports data compression in HTTP(S) responses by default. When a client includes Accept-Encoding: gzip in the request header, the server enables data compression if the response is at least 1024 bytes in length and if its content type is application/json, application/xml, text/html, text/xml, or text/plain. The article [How to configure data compression in a service](#) describes the configuration options in more detail.

Improved OpenAPI specification of the LuciadFusion REST API

The OpenAPI specification now offers the following improvements:

- The specification now uses re-usable enums.
- The names of the operations have been standardized and are now all unique.
- The security on each operation is now defined.
- The required property is now correctly set on the response schemas.

For a pointer to the REST API documentation, see [Where can I find the LuciadFusion Studio REST API documentation](#).

Other improvements

This LuciadFusion release also features a number of smaller improvements, for example:

Compatible with Java 25

LuciadFusion now supports Java 25. The supported Java versions are documented with the Hardware and software requirements in the product documentation.

Security updates

The 2026.0 release of LuciadFusion includes several security updates. The release notes provide full details on the dependencies that were added, updated, or removed. Please look for security updates under the upgrade considerations in the release notes.

Deprecated formats

The ASDI format for streaming air traffic data has fallen out of use in recent years, in favor of more recent air traffic management systems. Therefore, the ASDI model decoder and related classes have been deprecated. The JPIP imagery streaming format has been deprecated. JPIP isn't widely adopted, and we recommend the use of LuciadFusion with WM(T)S or ECWP as an alternative to serve large amounts of imagery to clients.